

CNC COORDINATE DRILLING MACHINE Model Arboga CNC 2500 SE With fixed bridge

Electrical installation 415/3/50 power supply
Drawing nr. CH-0906-03

File: 2500x2500 FB_.doc

BASIC MACHINE MAIN SPECIFICATION.

CNC Controller

FANUC. CNC 0i-C with operators main panel Type B1, Sub panel Type A and Standard FANUC Keyboard Typ MDI Milling

Spindle head stock

Continuous operation	Kw	12 (22)
Short time operation	Kw	15 (30)
Spindle speed step-less	Rpm	50-4000 (6000)
Spindle nose taper	ISO	50
Spindle ram head with hardened guide-ways	mm	200x200
Spindle ram head travel	mm	400
Distance spindle nose-table	mm	400-600
Spindle headstock rapid travel	mm/min	10000
Spindle headstock feed motor	Indramat	MKD090B
Tool retention	mechanical/hydraulic	

Machine Table

Table size	mm	2500x2500
Mounting surface	mm	2500x2500
Coolant groove around table		
Distance table surface-floor	mm	700
Max load capacity	kg	5000
Table movement x-axis	mm	3000
Table rapid travel	mm/min	15000 (5000)

Spindle headstock Bridge

Spindle headstock travel y-axis	mm	3000
Diameter of columns for elevating arm	mm	400x600

Others

Address Arboga Machine Tool AB Sandskogsvägen 13 736 35 Kungsör Sweden	Phone No +46-589148 70 Fax No +46-227-143 10 Registered office Kungsör	Postal giro service 1212821-1 Bank giro service 5281-3250 Corporate identity number 556619-9252	Internet www.arbogamachine.com VAT-number SE556619925201
--	---	--	---

Position accuracy X - Y - Z \axis	mm	+ - 0.05
Repetition accuracy	mm	+ - 0.025
Machine weight	kg	12500
Machine floor space	mm	6000x5000

Standard Equipment.

Complete electrical installation for direct power supply.

Pendant control switch box with built in CNC-Controller.

Electrical built in encoders for all axis.

Complete servo control equipment for 5 servo motors spindle and plc system.
In separate cabinet.

Machine table, spindle housing of cast iron stress relieving annealed.

Machine base and elevating arm (Y bridge) columns welded and stress relieving annealed.

Preloaded re-circulating ball guide ways for all axis.

Position of table y-axis and headstock via high precision re-circulating ball screws

Automatic central lubrication.

Hydraulic tool retention.

Coolant system for internal and external cooling operated by M-codes.

Complete coolant tank (250lit) with built in pumps for external and internal cooling.
Doubling rotating unit for coolant through main spindle. Coolant pump 100 lit/8 bar.

Machine colour. RAL 6011 (green)

2 sets of operators manual in English. Electrical and mechanical documentation.

For all information about CNC control system we refer to the manufactures catalogue.

NET PRICE FOR THE MACHINE IN STANDARD PERFORMANCE

SEK xxxxxx

Address	Phone No	Postal giro service	Internet
Arboga Machine Tool AB	+46-589148 70	1212821-1	www.arbogamachine.com
Sandskogsvägen 13	Fax No	Bank giro service	VAT-number
736 35 Kungsör	+46-227-143 10	5281-3250	SE556619925201
Sweden	Registered office	Corporate identity number	
	Kungsör	556619-9252	

Special equipment.

Universal paper filter

Full automatic for cleaning the coolant. Capacity for cleaning 100liter/min

Complete with tank and tubing for connection to the main coolant tank

SEK xxxxx

Heidenhain touch probe with software and cable connection.

SEK.xxxx

Electronic manual encoder with integrated axis keys.

SEK xxxx

CNC controller Heidenhain TNC530 or Fanuc 21i

SEK xxxx

Time of delivery

3 month after order and L/C

Guarantee

The warranty of parts, free of charge, shall be for a period of 12 months after installation.

Installation and training of operators.

Cost of installation for the machine are in the price. (5 working days)

Training for 2 operators 5 working days in Sweden included in machine price.

Additional training and education in India 4000 SEK/day.

The machine has to be inspected and tested in Sweden before dispatch.

Before arrival of our personal the work site should be prepared for immediate start of installation. The machine should be unpacked and cleaned from rust protection by customer.

You will be responsible of arranging necessary lifting for installation of heavy parts. Electrical connection with main fuse (63amp) is arranged by customer.

All delay without our fault will be paid by customer. 4000 SEK/day

Boarding and lodging of our personal in India is paid by customer

Hotel of European standard.

Terms of delivery time

All prices are ex works Arboga, export packing included.

Packing

The machine will be carefully protected to prevent corrosion and packed in a way, which under normal conditions may be expected to guarantee arrival at your works in undamaged condition.

ARBOGA MACHINE TOOL AB**ARBOGA SWEDEN**

Address
Arboga Machine Tool AB
Sandskogsvägen 13
736 35 Kungsör
Sweden

Phone No
+46-589148 70
Fax No
+46-227-143 10
Registered office
Kungsör

Postal giro service
1212821-1
Bank giro service
5281-3250
Corporate identity number
556619-9252

Internet
www.arbogamachine.com
VAT-number
SE556619925201